

SAFETY DATA SHEET

KLEANBRIGHT EXTRA

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME KLEANBRIGHT EXTRA
 PRODUCT NO. HAD004/HAD005
 INTERNAL ID 055
 SUPPLIER NIVEK CATERING SUPPLIES LTD.
 UNITS 14 & 15
 WOODFALLS INDUSTRIAL
 ESTATE
 LADDINGFORD, nr YALDING
 MAIDSTONE
 KENT ME18 6DA
 TEL: 01622 871714
 FAX: 01622 873379

2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
ETHYLENE DIAMINE TETRA ACETIC ACID, TETRA SODIUM SALT	200-573-9		30-60%	Xi;R36.
NITRILLO TRIACETIC ACID, TRISODIUM SALT	225-768-6	5064-31-3	10-30%	Xn;R22. Xi;R36/38.
SODIUM HYDROXIDE	215-185-5	1310-73-2	5-10%	C;R35

The Full Text for all R-Phrases are Displayed in Section 16

3 HAZARDS IDENTIFICATION

Causes severe burns.

CLASSIFICATION C;R35.

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Perform artificial respiration if breathing has stopped. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.

INGESTION

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!
 Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Rinse mouth thoroughly. Drink plenty of water. Get medical attention immediately!

SKIN CONTACT

Remove affected person from source of contamination. Rinse the skin immediately with lots of water. Continue to rinse for at least 15 minutes and seek medical attention.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

KLEANBRIGHT EXTRA

SPILL CLEAN UP METHODS

Stop leak if possible without risk. DO NOT touch spilled material! Absorb in vermiculite, dry sand or earth and place into containers. Flush area with plenty of water. Do not let washing down water contaminate ponds or waterways.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE CLASS

Corrosive storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
SODIUM HYDROXIDE	OES				2 mg/m3

INGREDIENT COMMENTS

OES = Occupational Exposure Standard.

PROTECTIVE EQUIPMENT



HAND PROTECTION

Use full-length gloves.

EYE PROTECTION

Wear full-face visor or shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear Liquid
COLOUR	Colourless to straw
SOLUBILITY	Miscible with water.
RELATIVE DENSITY	1.255

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

MATERIALS TO AVOID

Strong acids. Alkali metals.

HAZARDOUS DECOMPOSITION PRODUCTS

Irritating fumes carried by fire

11 TOXICOLOGICAL INFORMATION

EYE CONTACT

Causes burns.

KLEANBRIGHT EXTRA

12 ECOLOGICAL INFORMATION

ECOTOXICITY

No negative effects on the aquatic environment are known.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION



UN NO. ROAD	1824	ADR CLASS NO.	8
ADR CLASS	Class 8: Corrosive substances.	ADR PACK GROUP	66(c)
HAZARD No. (ADR)	80	ADR LABEL NO.	8
HAZCHEM CODE	2X	CEPIC TEC(R) NO.	80G20
RID CLASS NO.	8	RID PACK GROUP	66(c)
UN NO. SEA	1760	IMDG CLASS	8
IMDG PAGE NO.	8147	IMDG PACK GR.	III
MARINE POLLUTANT	No.	UN NO. AIR	1824
ICAO CLASS	8	AIR PACK GR.	III

15 REGULATORY INFORMATION

LABELLING



Corrosive

CONTAINS

ETHYLENE DIAMINE TETRA ACETIC ACID, TETRA SODIUM SALT
SODIUM HYDROXIDE

RISK PHRASES

R35 Causes severe burns.

SAFETY PHRASES

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).
S24/25 Avoid contact with skin and eyes.
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
S60 This material and its container must be disposed of as hazardous waste.

16 OTHER INFORMATION

KLEANBRIGHT EXTRA

GENERAL INFORMATION

This information is given in good faith and is based upon current available data. The suitability of this product for any particular use is not suggested. The user must determine if the product is correct for any particular application. This document is not a specification. Conforms to 2001/58/EC

REVISION DATE 20.12.2004

REV. NO./REPL. SDS GENERATED 04

SDS NO. 055NK

DATE 20.12.2004

RISK PHRASES IN FULL

R22 Harmful if swallowed.

R35 Causes severe burns.

R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.